

H₂ HUBB Official Summary Test Report

Sisel: H₂ STIX

Product:

Name: H₂ STIX Company: Sisel

Type: Mg-based H₂ generating powder

Similar to H₂ tablets
Tester: Tywon Hubbard (TH)
Testing start date: 3/8/19
Completion date: 4/1/19

PERFORMANCE:

H₂ Dissolved Concentration Test:

- METHOD:
 - Distilled water (used for the test): 6 pH, 0 TDS
 - Water Temperature: 65~70F /19~21C
 - Vol of water of glass bottle (closed container): 16.0 oz (500 ml)
 - TDS after Mg-based powder was introduced: 416 TDS
 - Mfgr claimed H₂ mg/L: NA
- HYDROGEN mg/L TESTING: Distilled Water
 - o 15-minutes:
 - Test 1: 1.5 mg/L, water temp (65~70F)
 - Test 2: 2.0 mg/L, water temp (65~70F)
 - o 30-minutes:
 - Test 1: 3.5 mg/L, water temp (65~70F)
 - Test 2: 3.0 mg/L, water temp (65~70F)
 - **15-mins: Avg mg/L (ppm)**: 1.75 mg/L (ppm)
 - **30-mins: Avg mg/L (ppm)**: 3.25 mg/L (ppm)
 - Avg H₂ mg Produced:
 - 15-mins: 0.9 mg30-mins: 1.6 mg
 - H₂ product H₂ mg/L (ppm) range: 1.0~3.5 mg/L (ppm
 - Highest hydrogen concentration:
 - Initial (3/25/19): 3.5 mg/L (ppm) (3.5 mg/L / 500 ml)

Summary Report Only. Not Full Test Report.

Other testing and technical sections are not included out of respect and professional courtesy of the RPC.

 H_2 Hubb LLC disclaimer: All tests conducted and test results produced by H_2 Hubb LLC have been done according to industry-accepted practices and standards. Nevertheless, these results may not necessarily reflect test results performed by manufacturers, suppliers or third-party labs. Our test results are independent of all other parties, and testing by other parties may produce different results. We understand that many variables are involved in testing, some of which are extremely difficult to control. These reports are not meant or intended for any other purpose but to uphold H_2 Hubb LLC business practices and to validate the reasons for our recommendations.

Approved by: Tywon Hubbard

Tywon Hubbard,

CEO, H₂ HUBB LLC.

Tywon@H2HUBB.com

